



WORKMAN | NYDEGGER  
INTELLECTUAL PROPERTY ATTORNEYS

C9C

1000 E. GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111  
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT  
Docket No. 14000.8.1.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

West, Jr. et al.

**Certificate**

Serial No.: 10/786,186

JUN 30 2010

Filed: Feb. 25, 2004

**of Correction**

Art Unit  
3733

Confirmation No.: 2078

For: *SUTURE SEPARATION AND ORGANIZATION  
DEVICES FOR USE WITH GRAFT TENSIONING  
DIVICE*

Examiner: Eduardo C Robert

Patent No.: 7,686,810 B2

Issue Date: Mar. 30, 2010

**REQUEST FOR A CERTIFICATE OF CORRECTION**  
**UNDER 37 C.F.R. § 1.323**

Attention: Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this

06/28/2010 HDESTA2 00000020 7686810

01 FC:1811

100.00 OP

communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 16<sup>th</sup> day of June, 2010.

Respectfully submitted,




JOHN M. GUYNN  
Attorney for Applicant  
Registration No.: 36,153  
Customer No.: 22913

WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, UT 84111  
Phone: 801-533-9800  
Fax: 801-328-1707

**CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 22 day of June, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323  
PTO Form PTO/SB/44 and check No. 168953 in the amount of \$100

JMG:tgp  
2910037\_1



WORKMAN | NYDEGGER  
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111  
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT  
Docket No. 14000.8.1.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

West, Jr. et al.

Serial No.: 10/786,186

Filed: Feb. 25, 2004

Confirmation No.: 2078

For: *SUTURE SEPARATION AND ORGANIZATION  
DEVICES FOR USE WITH GRAFT TENSIONING  
DIVICE*

Examiner: Eduardo C Robert

Patent No.: 7,686,810 B2

Issue Date: Mar. 30, 2010

Art Unit  
3733

**REQUEST FOR A CERTIFICATE OF CORRECTION**  
**UNDER 37 C.F.R. § 1.323**

Attention: Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this

communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 16<sup>th</sup> day of June, 2010.

Respectfully submitted,




JOHN M. GYNN  
Attorney for Applicant  
Registration No.: 36,153  
Customer No.: 22913

WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, UT 84111  
Phone: 801-533-9800  
Fax: 801-328-1707

**CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 22 day of June, 2010.

Respectfully submitted,



Transmitted:

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323  
PTO Form PTO/SB/44 and check No. 168953 in the amount of \$100

JMG:tgp  
2910037\_1

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 3

PATENT NO. : 7,686,810 B2

APPLICATION NO. : 10/786,186

ISSUE DATE : Mar. 30, 2010

INVENTOR(S) : West, Jr. et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**Column 3****Line 9, change "separates" to --separates,--****Column 5****Line 11, change "22" to --24--****Line 27, change "block" to --module--**

MAILING ADDRESS OF SENDER (Please do not use customer number)

**JOHN M. GUYNN, WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111**

This collection of information is required by 37 C.F.T. 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 3

PATENT NO. : 7,686,810 B2

APPLICATION NO. : 10/786,186

ISSUE DATE : Mar. 30, 2010

INVENTOR(S) : West, Jr. et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

## Drawings

Sheet 2, replace Figure 2 and 2A with the figure depicted below, wherein 16 is shown.

Sheet 2, replace Figure 2A with the figure depicted below, wherein 34 is shown.




FIG. 2




FIG. 2A

MAILING ADDRESS OF SENDER (Please do not use customer number)

**JOHN M. GUYNN, WORKMAN NYDEGGER**  
**1000 Eagle Gate Tower**  
**60 East South Temple**  
**Salt Lake City, Utah 84111**

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 3 of 3

PATENT NO. : 7,686,810 B2

APPLICATION NO. : 10/786,186


ISSUE DATE : Mar. 30, 2010

INVENTOR(S) : West, Jr. et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Sheet 9, replace Figure 9A with the figure depicted below, wherein 414 is labeled.

Sheet 9, replace Figure 9A with the figure depicted below, wherein the line connecting 412 to the drawing is made shorter.



**FIG. 9A**

MAILING ADDRESS OF SENDER (Please do not use customer number)

**JOHN M. GUYNN, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 3

PATENT NO. : 7,686,810 B2

APPLICATION NO. : 10/786,186

ISSUE DATE : Mar. 30, 2010

INVENTOR(S) : West, Jr. et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**Column 3****Line 9, change "separates" to --separates,--****Column 5****Line 11, change "22" to --24--****Line 27, change "block" to --module--**

MAILING ADDRESS OF SENDER (Please do not use customer number)

**JOHN M. GUYNN, WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111**

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 3

PATENT NO. : 7,686,810 B2

APPLICATION NO. : 10/786,186

ISSUE DATE : Mar. 30, 2010

INVENTOR(S) : West, Jr. et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Drawings

Sheet 2, replace Figure 2 and 2A with the figure depicted below, wherein 16 is shown.

Sheet 2, replace Figure 2A with the figure depicted below, wherein 34 is shown.




FIG. 2




FIG. 2A

MAILING ADDRESS OF SENDER (Please do not use customer number)

JOHN M. GUYNN, WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

Page 3 of 3

PATENT NO. : 7,686,810 B2

APPLICATION NO. : 10/786,186

ISSUE DATE : Mar. 30, 2010

INVENTOR(S) : West, Jr. et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**Sheet 9, replace Figure 9A with the figure depicted below, wherein 414 is labeled.**

Sheet 9, replace Figure 9A with the figure depicted below, wherein the line connecting 412 to the drawing is made shorter.




FIG. 9A

MAILING ADDRESS OF SENDER (Please do not use customer number)

**JOHN M. GUYNN, WORKMAN NYDEGGER**  
**1000 Eagle Gate Tower**  
**60 East South Temple**  
**Salt Lake City, Utah 84111**